

Elenco aggiornato delle pubblicazioni

BOOKS

“Il Protocollo ALL-ON-4 - Manuale operativo”

2019 - Quintessenza Edizioni.

Autori principali: Francetti Luco, Weinstein Roberto.

Coordinatore (e coautore): Francesco Azzola

“Carico immediato in implantologia: il protocollo All-On.4” (testo multimediale)

2015 - UTET-GDS

Francetti L, Barbaro B, Azzola F.

ARTICLES

Biofilm Formation on Dental Implant Surface Treated by Implantoplasty: An In Situ Study.

Azzola F, Ionescu AC, Ottobelli M, Cavalli N, Brambilla E, Corbella S, Francetti L.

Dent J (Basel). 2020 May 6;8(2):40.

Laser microtextured titanium implant surfaces reduce in vitro and in situ oral biofilm formation.

Ionescu AC, Brambilla E, Azzola F, Ottobelli M, Pellegrini G, Francetti LA.

PLoS One. 2018 Sep 7;13(9)

“Efficacia dell’implantoplastica nel trattamento chirurgico della perimplantite: case series.”

Morandi P, Azzola F, Cavalli N, Barbaro B, Austoni C, Francetti L.

Il Dentista Moderno. 2018 Feb; 2: 74-80

“Retrospective analysis of the prevalence of peri-implant diseases in no-smoking patients rehabilitated with a fixed full-arch restoration supported by two mesial axial and two distal tilted implants.”

Cavalli N, Austoni C, Corbella S, Taschieri S, Barbaro B, Azzola F, Francetti L.

Minerva Stomatologica. 2016 Jun;65(3):164-75

“Riabilitazioni Implantoprotesiche in aree esteticamente rilevanti: il condizionamento dei tessuti molli.”

Azzola F, Mazza F, Leone A, Cavalli N, Rodolfi A, Antifora A.
Dental Cadmos - 2013;81(5):279-287.

“Tilted implants for full arch rehabilitations in completely edentulous maxilla: a retrospective study.”

Cavalli N, Barbaro B, Spasari D, Azzola F, Ciatti A, Francetti L.
International Journal of Dentistry - Epub 2012 Oct 23.
doi: 10.1155/2012/180379

“Evaluation of clinical outcomes and bone loss around titanium implants with oxidized surface: six-years follow-up from a prospective case series study”

Francetti L, Azzola F, Corbella S, Taschieri S, Del Fabbro M.
Clin Implant Dent Relat Res. 2012 Jun.

“Anatomia chirurgica step by step - scheda didattica: la regione molare mascellare”

Azzola F, Rosano G, Taschieri S, Weinsten T, Del Fabbro M, Gaudy J F. *Italian Oral Surgery* 2010; 9:1-7;

“Studio Pilota con valutazione istologica e istomorfometrica nello stesso paziente: ricostruzione mascellare con osso autologo e osso eterologo”

B. F. Barbaro, C. Dellavia, D. Spasari, F. Azzola, D. Romeo.
Corriere Medico Odontoiatria. Maggio 2009, 72-75:

“Anatomia chirurgica step by step - scheda didattica: la regione molare mandibolare”

G. Rosano, F. Azzola, S. Taschieri, T. Weinsten, M. Del Fabbro, J.-F. Gaudy.
Italian Oral Surgery 2009;4:45-49.

“Guided-tissue regeneration in endodontic surgery”.

Taschieri S, Testori T, Azzola F, Del Fabbro M, Valentini P.

Rev Stomatol Chir Maxillofac. Sep;109(4):213-7. 2008
Jun.

“Techniques d’alésage en endodontie”

Bouter D, Azzola F, Campana A.2006
Entretiens de Bichat (pubblicazione congressuale)

2019 3rd IAO Congress Milan

“Treatment of an edentulous maxilla using the guided all-on-four protocol in a patient with coagulative disorders: a case report.”

Bruno Barbaro , Francesco Orlando , Carlo Vitelli,
Francesco Azzola

2019 3rd IAO Congress Milan

“The use of an individualized CAD/CAM titanium mesh in a three-dimensional GBR with immediate implant placement : a case report.”

Bruno Barbaro ,Carlo Vitelli,Francesco Orlando,
Francesco Azzola , Nicolò Cavalli

ABSTRACTS

2019 3rd IAO Congress Milan

“Occlusive titanium mesh customized on a stereolithographic model in a three dimensional GBR: a case report.”

Francesco Azzola, Francesco Orlando , Alessandro Campiotti , Carlo Vitelli , Francesco Tironi

2019 EAO 28th Annual Scientific Meeting Lisbon

“The use of a non-perforated titanium plate customized on a stereolithographic model in a three-dimensional GBR procedure.”

Francesco Orlando , Francesco Azzola, Francesco Tironi,
Benedetta Morandi, Alessandro Campiotti , Nicolò Cavalli , Ilaria La prova

2019 EAO 28th Annual Scientific Meeting Lisbon

“Three-dimensional guided bone regeneration and immediate implant placement with an individualized CAD/CAM titanium mesh , a case report.”

Francesco Orlando , Bruno Barbaro, Carlo Vitelli,
Francesco Azzola, Francesco Tironi, Caterina Frascaolino ,
Nicolò Cavalli

2019 Osteology Symposium Barcelona

“Three dimensional guided bone regeneration using a non perforated titanium plate customized on a stereolithographic model.”

Francesco Orlando, Francesco Azzola, Francesco Tironi,
Benedetta Morandi, Alessandro Campiotti , Nicolò
Cavalli

2018 9th Europerio Amsterdam.

“Implantoplasty associated with resective and regenerative surgery in the treatment of peri-implantitis. A clinical preliminary study.”

Cavalli N, Morandi P, Azzola F, Morandi B, Di Stefano M,
Francetti L.

2018 9th Europerio Amsterdam.

“Implantoplasty combined with a regenerative surgical approach to treat peri-implantitis: a 2 years follow up case report.”

Azzola F, Cavalli N, Morandi P, Barbaro B, Austoni C,
Spasari D, Francetti L.

2017 1st IAO International Congress Milan.

“Influence of Implant Number, Length and Crown Height on Bone Stress around Three-Unit Bridges in the posterior Mandible: a 3D Finite Element Analysis”

Cavalli N, Casaroli G, Azzola F, Galbusera F, Villa T.

2017 1st IAO International Congress Milan.

“Influence of Implantoplasty on Biofilm Formation. A pilot, in Situ Study”.

Campiotti A, Azzola F, Cavalli N, Morandi P, Barbaro B.

2017 1st IAO International Congress Milan.

"Implantoplasty in the surgical treatment of peri-implantitis: a case series."

Morandi P, Azzola A, Cavalli N, Austoni C, Zotti B.

2017 26th EAO Annual Scientific Meeting Madrid.

"Influence of implantoplasty on biofilm formation. A pilot, in situ study."

Cavalli N; Azzola F; Ionescu A; Ottobelli M; Brambilla E; Francetti L.

2017 26th EAO Annual Scientific Meeting Madrid.

"Implantoplasty in the surgical treatment of peri-implantitis: a case series."

Morandi P; Azzola F; Cavalli N; Austoni C; Barbaro B; Francetti L.

2016 XIX Sidp National Congress Rimini.

"Influence on bone stress distribution of number of implants, crown height and implant length for 3-unit bridges in the posterior mandible: a 3D finite element analysis"

Cavalli N, Casaroli G, Corbella S, Taschieri S, Azzola F, Galbusera F, Villa T, Francetti L.

2016 XIX Sidp National Congress Rimini.

"Implantoplasty and plaque accumulation, a novel in situ study."

Azzola F, Ionescu A, Cavalli N, Ottobelli M, Brambilla E, Francetti L.

2015 XVII Sidp International Congress Rimini.

"Prevalence and incidence of peri-implant mucositis and peri-implantitis in full-arch fixed restorations supported by four implants. A retrospective study with up to 10 years of follow-up."

Cavalli N, Corbella S, Pellegrini G, Azzola F, Taschieri S, Francetti L. Quintessenza internazionale & JOMI; 2015; 31(4):67

2015 XVII Sidp International Congress Rimini.

"How implantoplasty modifies plaque accumulation. A pilot study."

Azzola F, Dellavia C, Cavalli N, Pellegrini G, Di Stefano M, Mazza F, Francetti L. Quintessenza internazionale & JOMI; 2015; 31(4):67

2015 Eur J Oral Implantol; 8 (Suppl) S9-S51- SIO Congress XXIII in Milan

"Prevalence of peri-implant mucositis and peri-implantitis full-arch mandibular restorations supported by four implants."

Cavalli N, Corbella S, Azzola F, Rodolfi A, Barbaro B, Francetti L.

2014 Eur J Oral Implantol 2014; 7(Suppl) S9-S79 - SIO Congress XXII in Milan

"Full-arch fixed rehabilitation supported by short implants in highly resorbed maxilla: a case report."

Cavalli N, Mazza F, Rodolfi A, Corbella S, Azzola F, Francetti L.

2014 SIO Congress XXII in Milan

"Survival rate of 6 mm long implants 1 year after prosthetic loading."

Barbaro B, Mazza F, Azzola F, Corbella S, Cavalli N, Francetti L. Eur J Oral Implantol 2014; 7(Suppl) S9-S79

2014 Società Italiana di Osteointegrazione - congresso internazionale, Milano

"Full-arch rehabilitation supported by short implants in highly resorbed maxilla: a case report"

Cavalli N, Leone A, Azzola F, Corbella S, Barbaro B, Francetti L.

2013 22nd EAO Annual Scientific Meeting Dublin.

"Biological and prosthetic complications in full-arch fixed prosthesis supported by four implants: a 9-years follow-up retrospective study."

Cavalli N, Corbella S, Mazza F, Barbaro B, Azzola F, Spasari D, Taschieri S, Del Fabbro M, Francetti L. Clinical Oral Implants Research; 2013 Oct; 24 Suppl 9:179-180

2013 XX Congresso Nazionale Collegio dei Docenti di Odontoiatria in Rome.

“Soft tissue conditioning of implant-supported prosthesis in aesthetic areas - a clinical report.”

Mazza F, Cavalli N, Rodolfi A, Azzola F, Antifora A, Francetti L.

2013 SIO Congress XXI in Milan

“Prosthetic and aesthetic correction of a surgical complication.”

Spasari D, Azzola F, Barbaro B, Mazza F, Cavalli N, Francetti L. Eur J Oral Implantol 2013; 6(Suppl) S9-S82 -

2012 21st Year EAO Anniversary Meeting in Copenhagen.

“Tilted versus non-tilted implant-supported full-arch rehabilitations: a biomechanical comparison.”

Cavalli N, Corbella S, Ciatti A, Azzola F, Barbaro B, Spasari D, Leone A, Mazza F, Del Fabbro M, Francetti L. Clinical Oral Implants Research; 2012 Oct; 23 Suppl 7:56-57 -

2012 XX Congresso Internazionale SIO.

“Clinical and prosthetic complications of a full-arch rehabilitation supported by upright and tilted implant.”

Cavalli N, Leone A, Azzola F, Corbella S, Barbaro B, Francetti L. Implantologia 2012; 1:29 -

2013 European Association for Osseointegration - annual meeting, Dublin

"Biological and prosthetic complications in full-arch fixed prosthesis supported by four implants: a 9-years follow-up retrospective study"

Cavalli N, Leone A, Azzola F, Corbella S, Barbaro B
CLINICAL ORAL IMPLANTS RESEARCH Volume 24,
Issue s9, October 2013, Pages: 218-224.

2012 European Association for Osseointegration -
annual meeting, Copenhagen

**"Tilted versus non-tilted implant-supported full-arch
rehabilitation: biomechanical comparison"**

Cavalli N, Leone A, Azzola F, Corbella S, Barbaro B,
Francetti L.

CLINICAL ORAL IMPLANTS RESEARCH Article first
published online: 1 OCT 2012

2012 Società Italiana di Osteointegrazione - congresso
internazionale, Milano

**"Evaluation of an implant system: a 7-year
prospective clinical trial"**

Azzola F, Del Fabbro M, Antifora A, Mazza F, Rodolfi A,
Francetti L.

2012 Società Italiana di Osteointegrazione - congresso
internazionale, Milano

**"Clinical and prosthetic complications of a a full-arch
rehabilitation supported by upright and tilted
implants"**

Cavalli N, Leone A, Azzola F, Corbella S, Barbaro B,
Francetti L.

2010 European Association for Osseointegration - annual meeting, Glasgow:

“Evaluation of an implant system: a five years clinical trial”

Azzola F, Ciatti A, Barbaro B, Spasari D, Romeo D, Broccaioli E, Tassera C, Del Fabbro M, Taschieri S, Francetti L.

CLINICAL ORAL IMPLANTS RESEARCH Article first published online: 6 SEP 2010

2008 European Association for Osseointegration - annual meeting, Warsaw:

“Hydroxyapatite coated implants versus rough titanium implants, marginal bone resorption at 1 year after loading”

Antifora A, Azzola F, Folegatti C, Tassera C, Francetti L
CLINICAL ORAL IMPLANTS RESEARCH Volume 19, Issue 9, September 2008, Pages: 968-973.

2008 European Association for Osseointegration - annual meeting, Warsaw:

“Statins and bone formation, a meta-analysis of the literature”

Azzola F, Barbaro B, Spasari D, Romeo D, Tassera C, Folegatti C, Antifora A, Francetti L

CLINICAL ORAL IMPLANTS RESEARCH Volume 19, Issue 9, September 2008, Pages: 968-973.

2008 European Association for Osseointegration - annual meeting, Warsaw:

“Factors influencing bone resorption around dental implants”

Basso M, Nowakowska J, Selighini L, Corbella S, Romeo D, Azzola F, Francetti L.

CLINICAL ORAL IMPLANTS RESEARCH Volume 19, Issue 9, September 2008, Pages: 968-973.

2007 European Association for Osseointegration -
annual meeting, Barcelona:

**"A randomized clinical trial to evaluate Nobel
Biocare Replace implant system"**

Azzola F, Tassera C, Folegatti C, Antifora A, Francetti L
CLINICAL ORAL IMPLANTS RESEARCH Volume 18,
Issue 5, October 2007, Pages: xxi-cxlv.

2006 Noble World Tour (Las Vegas) :

**"A retrospective clinical trial to evaluate Nobel
Biocare Replace implant system: 1-year results"**

Tassera C, Azzola F, Folegatti C, Antifora A, Francetti L.

"Il Protocollo ALL-ON-4 - Manuale operativo"

2019 - Quintessenza Edizioni.

Autori principali: Francetti Luco, Weinstein Roberto.
Coordinatore (e coautore): Francesco Azzola

**"Carico immediato in implantologia: il protocollo
All-On.4" (testo multimediale)**

2015 - UTET-GDS

Francetti L, Barbaro B, Azzola F.